NOTES:

1. For Notes see Drg No ***SD/500/1.***

TYPE G



PERMITTED ALTERNATIVE MATERIALS

TYPE OF PIPE	DIAMETER	DEPTH	CLASS OF PIPE
CONCRETE	Upto 450	See table for Group D2 DRAINS AND SEWERS UNDER ROADS AND VERGES with Type A bedding	
CLAY			
PERFORATED CLAY			
ASBESTOS CEMENT			
POROUS CONCRETE	150, 225, 300 375	0.9 - 6.0 1.2 - 2.1	S S

TYPE H



See Note 6

PERMITTED ALTERNATIVE MATERIALS

TYPE OF PIPE	DIAMETER	DEPTH	CLASS OF PIPE
CONCRETE	Upto 450	See table for Group D2 DRAINS AND SEWERS UNDER ROADS AND VERGES with Type B bedding	
CLAY			
PERFORATED CLAY			
ASBESTOS CEMENT			
POROUS CONCRETE	150, 225, 300	0.9 - 6.0	S

TYPE I



See Note 6

PERMITTED ALTERNATIVE MATERIALS

TYPE OF PIPE	DIAMETER	DEPTH	CLASS OF PIPE
PERFORATED PVC-U	150, 225, 300, 400	0.9 - 6.0	-

©Crown copyright 2015. All rights reserved. Use of this image is limited to viewing on-line and printing one copy. Leicestershire County Council. 100019271.

Leicestershire County Council

ENVIRONMENT AND TRANSPORT DEPARTMENT

TITLE:

GROUP D1 FILTER DRAINS

DRAINAGE

ALTERNATIVE DETAILS

DRAWING NUMBER	DATE
SD/500/02	APRIL 2024
AUTOCAD REF	SCALE
K\GENERAL\D9997STDDRG\STD DRGS 2015	NOT TO SCALE

Rev	Date	Notes on Revision
0	01.04.2024	Supersedes Dwg. SD/5/1 - September 2002